

FLEXIBLE PACKER WITH BYPASS							
Part Number	Pipe Diameter	Cylinder Length (mm)	Required Inflation Pressure (bar)	Product Diameter (mm)	Product Total Length (mm)	Bypass Diameter (inch)	Product Weight (kg)
BTB10015 010	100-150	1000	2.5	64	1350	NA	3.5
BTB10015 015	100-150	1500	2.5	64	1850	NA	4.0
BTB10015 020	100-150	2000	2.5	64	2350	NA	4.5
BTB10015 025	100-150	2500	2.5	64	2850	NA	5.0
BTB10015 030	100-150	3000	2.5	64	3350	NA	5.0
BTB10015 040	100-150	4000	2.5	64	4350	NA	6.0
BTB10015 050	100-150	5000	2.5	64	5350	NA	7.0
BTB15025 010	150-250	1000	2.5	108	1350	2"	8.3
BTB15025 015	150-250	1500	2.5	108	1850	2"	9.4
BTB15025 020	150-250	2000	2.5	108	2350	2"	12.0
BTB15025 025	150-250	2500	2.5	108	2850	2"	14.0
BTB15025 030	150-250	3000	2.5	108	3350	2"	17.0
BTB15025 040	150-250	4000	2.5	108	4350	2"	20.0
BTB15025	150-	5000	2.5	108	5350	2"	23.0

050	250						
BTB20030 010	200- 300	1000	2.0	158	1350	2"	9.5
BTB20030 015	200- 300	1500	2.0	158	1850	2"	11.7
BTB20030 020	200- 300	2000	2.0	158	2350	2"	13.5
BTB20030 030	200- 300	3000	2.0	158	3350	2"	16.0
BTB20030 040	200- 300	4000	2.0	158	4350	2"	20.0
BTB20030 050	200- 300	5000	2.0	158	5350	2"	24.0
BTB30040 010	300- 400	1000	1.5	220	1350	3"	16.0
BTB30040 015	300- 400	1500	1.5	220	1850	3"	18.0
BTB30040 020	300- 400	2000	1.5	220	2350	3"	22.0
BTB30040 030	300- 400	3000	1.5	220	3350	3"	26.0
BTB30040 040	300- 400	4000	1.5	220	4350	3"	30.0
BTB30040 050	300- 400	5000	1.5	220	5350	3"	34.0
BTB40060 015	400- 600	1500	1.0	350	1850	3"	28.0
BTB40060 020	400- 600	2000	1.0	350	2350	3"	33.0
BTB40060 030	400- 600	3000	1.0	350	3350	3"	41.0
BTB60080 015	600- 800	1500	1.0	360	1850	3"	39.0
BTB60080 020	600- 800	2000	1.0	360	2350	3"	42.0
BTB60080 030	600- 800	3000	1.0	360	3350	3"	48.0
BTB80010 0015	800- 1000	1500	1.0	584	1650	3"	74.0
BTB80010 0020	800- 1000	2000	1.0	584	2250	3"	81.0
BTB80010 0025	800- 1000	2500	1.0	584	2750	3"	89.0

