

28mm PAN & TILT Camera System

Quantity Price USD

P28 Push rod camera




Material: Aviation aluminum,

brass System: PAL

- button type multi-function control box ,10 inch high-light liquid crystal display;
- keyboard input function, can input and edit text information in video recording;
- camera horizontal 360° rotation, vertical 180 degrees rotation;
- •DVR video and playback function with USB, TF card external port;
- voice switch can add audio information to video at any time;
- wire rack with photoelectric counter, realtime recording camera in the pipeline measurement depth, length, display on the display screen. Standard diameter 8 MM,60 M high quality high strength fiberglass cable.
- new type lithium battery box ,6600 MAH with electric power indicator light, charge indicator light, safety device;
- •AC100V-240V, two-in-one switching power supply;
- •ABS high strength plastic special outer box
 - operation is simple, one-click photo recording, control function a panel operation;

1 set 3450 USD

Components	Pictures	QTY	Note
10" TFT LCD controller		1PC	1.10" monitor with DVR&MIC switch; . 2. Keyboard for input word; 3. PT control, Focus±, LED±, Battery indicator, etc; 4. Rechargeable high capacity Libattery(4400mA) for 5 hours continuous working; . 5. Waterproof ABS suitcase with all parts included . 6. USB port &TF card port for DV recording;
DN28mm Camera head		1PC	1.Color Sony1/4 CCD 2.Resolution: 800TVL 3.DN 28mm, 360°pan, 180°tilt 4.IP68 waterproof 5. High brightness white LEDS 6.Aliminum stainless steel material
Cable reel with meter counter		1set	1.Cable: DN 8MM Fiberglass rod cable. 2.Length: 60m 3.Auto meter counting 4. IP54 waterproof



ther accessories: Charger, manual, screws, etc